

1/8

Fig. 1





Fig. 2



2/8

Fig. 3





Fig. 4



3/8

Fig. 5




Fig. 6


$I_{subQ}/Idratio$	0.0001	0.0002	0.0005	0.001	0.002
$Id[A]$	5.0E-08	1.3E-07	4.8E-07	1.3E-06	3.3E-06
0.01	7.5E-07	2.0E-06	7.1E-06	1.9E-05	5.0E-05
0.02	2.7E-05	7.0E-05	2.5E-04	6.7E-04	1.8E-03
0.05	4.0E-04	1.1E-03	3.8E-03	1.0E-02	2.6E-02
0.1	5.9E-03	1.6E-02	5.7E-02	1.5E-01	3.9E-01
0.2					

4/8

Fig. 7

I_{subQ}/Id_{ratio}	$Id[A]$	0.0001	0.0002	0.0005	0.001	0.002
0.01		4.7E-08	1.3E-07	4.9E-07	1.2E-06	3.6E-06
0.02		7.0E-07	1.9E-06	7.3E-06	1.9E-05	5.3E-05
0.05		2.5E-05	6.7E-05	2.6E-04	6.6E-04	1.9E-03
0.1		3.7E-04	1.0E-03	4.0E-03	1.1E-02	2.5E-02
0.2		5.8E-03	1.5E-02	5.9E-02	1.4E-01	4.0E-01

Fig. 8




5/8

Fig. 9


<i>Id</i> [A]	0.0001	0.0002	0.0005	0.001	0.002
<i>IsubQ/Idratio</i>					
0.01	8.4E-08	2.3E-07	8.8E-07	2.3E-06	5.5E-06
0.02	1.3E-06	3.4E-06	1.3E-05	3.4E-05	8.1E-05
0.05	4.5E-05	1.2E-04	4.7E-04	1.2E-03	2.9E-03
0.1	6.7E-04	1.7E-03	6.0E-03	1.6E-02	4.1E-02
0.2	9.8E-03	2.6E-02	9.0E-02	2.5E-01	6.6E-01

Fig. 10



6/8

Fig. 11



7/8

Fig. 12





Fig. 13



8/8

Fig. 14

